




Aquila 32S Specifications

| Length overall w/ swim platform excl. anchor roller | 9.86 M / 32' 4" |
|--|----------------------|
| Hull length | 9.82 M / 32' 2" |
| Beam overall | 3.85 M / 12' 8" |
| Length of waterline | 8.09 M / 26' 6" |
| Height above waterline w/ hard top (excludes electrics and electronics) | 2.92 M / 9'7" |
| Hull draft with outboards up | 55 CM / 1' 10" |
| Dry displacement | 6,850 KG / 15,100 LB |
| Fully loaded displacement | 8,175 KG / 18,000 LB |
| CE certification | B:12, C:16, D:22 |
| Sleeps (up to) | 4 (2 in salon) |
| Max passengers | 22 |
| Cabins | 1 |
| Heads | 1 |
| Showers | 2 |



MAIN DECK



Tankage

| Fuel tank (approx.) | 2X 530 = 1060 L / 2X 140 = 280 GAL |
|-------------------------------|------------------------------------|
| Water tank standard (approx.) | 110 L / 29 GAL |
| Holding tank (approx.) | 1X 80 L / 1X 21 GAL |

Propulsion

| Standard | 2X Black Mercury Verado V6 225 HP |
|----------|--|
| Optional | 2X White Mercury Verado V8 300 HP with Joystick Piloting Control |
| | |

Propellers Stainless steel

Construction

| Hull and deck material | InfusiCore vinyl ester resin infused throughout |
|----------------------------------|---|
| Bulkhead and reinforcing | InfusiCore vinyl ester resin infused throughout |
| Core materials (vary in density) | PVC |
| Gel coat of hull | NPG |
| Bulkheads | Water tight fore and aft |

CABIN



All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Specifications in this document are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.

Standard Features

An exceptional performing and seaworthy hull shape providing first in class stability and fuel efficiency

Expansive areas for entertaining and social zones from bow to stern with a well appointed wet bar area with sink and tilt out trash bin The bow seating offers optional seating area provides comfortable forward facing seats with fill in cushion to convert into large sunbed area FUSION multi-zone audio system with 6 x Fusion speakers & Bluetooth connectivity

Plenty of comfortable seating throughout for up to 14 people onboard Expansive fiberglass hard top with two opening hatches providing protection from sun and weather

High quality living comforts within cabin and head provide exceptional comfort for those longer voyages on board

Custom designed slide out stainless steel boarding ladder system providing easy access in and out of the water

Interior Layout

One (1) cabin to port with separated shower and fresh water electric flushing toilet to starboard

Private lockable companionway hatch to cabin and head area

Deck Layout

Forward cockpit seating that comfortably seats three (3) for forward facing or large sun lounging area

Helm station to starboard with comfortable seating for two (2)

Passenger seating to port with comfortable seating for one (1) - converts to forward or aft facing

Summer kitchen to port with Corian surface, fridge/freezer (85 L. / 3.0 cu ft.), fresh water sink and tilt out waste bin

Settee seating with folding table to port

Forward facing aft port seat comfortably seating two (2) people with ability to fold down into sunbed

Forward facing aft starboard seat

Entire deck area self draining aft with additional scuppers forward Integrated aft side boarding area on port and starboard side for easy access from dock

Stainless steel gate to large aft swim platform

Opening windscreen and lower door for easy access to forward seating Anchor locker hatch

Storage lockers forward in each hull with front deck hatches

Large storage locker starboard forward with access from under seat Storage lockers under all aft seating

Large aft deck hatches for access to equipment lockers

Large aft hatch in swim platform with custom stainless steel retractable swim ladder with teak steps

Easy lift gas shocks for all large hatches

Hard top with stainless steel supports and two (2) opening deck hatches

All exterior upholstery designed by leading international company

Hull and Deck Equipment

Stainless steel railings and handholds (AIS 316) Custom built PVC rub rail with 316 stainless steel insert offering all round protection

Windscreen in tempered glass with custom aluminum frame Variable speed windscreen wiper with control mounted at helm Anchor platform and roller in 316 stainless steel Electric windlass (12v-700W) with handheld control Polished stainless steel 22lb Anchor with rope(150ft), chain(15ft), and

bridle attachment rigging

Ten (10) thru bolted polished 316 stainless steel mooring cleats Deck fill plates in 316 stainless steel (1 x water; 2 x fuel; 1 x waste) LED navigation lights (port, starboard, anchor & running light) Stainless steel ski tow eyes Black boot stripe in hull (Gelcoat) Door/bow block off between companionways LED courtesy lights Seven integrated self draining carbon drink holders for forward cockpit Bow filler cushion Various drink holders located between helm and aft deck area 30amp shore power supply plug LED overhead lights in hardtop for settee and galley Multi-zone Fusion entertainment sound system including head unit and

Helmsman Station

six (6) x 6" speakers & Bluetooth connectivity

Adjustable seat comfortably sitting two (2) passengers with individual flip up bolsters and storage under seating Electronic engine double lever throttle and gearshift control Mercury VesselView 4" display with Active Trim Control Variable position steering wheel with Aquila stainless steel steering wheel Magnetic compass Halon fire alarm for each hull Mercury power assist steering Two cup holders Switch panel for common items for ease of use Horn control Glove box with USB outlet AC power outlet Fiberglass integrated foot rest

Cabin

V-double berth in cabin (comfortably sleeps 2) Memory foam mattresses with durable canvas covers Wood furniture in plywood with light wood composite laminate and matching hard wood trim Synthetic wear resistant flooring offering maintenance free natural look Side and ceiling panels upholstered Storage shelves, lockers and drawers Electric variable speed fan Designated microwave area with AC outlet Blinds for deck hatches LED overhead lights LED reading light AC power sockets Carbon Monoxide alarm Deck hatch above bed for ventilation Large hull windows bringing in plenty of light



All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Specifications in this document are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.

Head

Basin surface in Corian Ceiling and inboard sides in low maintenance FRP finish Fresh water mixer faucet with pull out shower head Mirror Large window Electric fresh water flush toilet with macerator (holding tank located behind air tight bulkhead) Electric multi speed fan Designated electrical cabinet/storage area Opening hull port light LED overhead lights Overhead deck hatch roller blind

Electrical System

Master Control panel for 12-volt and shore power service Helm station LED push button electrical panel Remote battery master switches at panel Engine parallel control remote switch Two (2) dedicated engine start battery's each located in aft locker Two (2) x 200Ah house batteries Battery trays with mounts Inverter/battery charger Galvanic isolator system Reverse polarity indicator Multi-zone entertainment system master unit located at helm station 30amp shore power supply plug

Fuel System

Fully independent heavy gauge aluminum tanks with gauge at helm station (280 gal. / 1060 L.) Fuel tank vents Natural ventilation of locker plus forced air ventilation controlled from dash board Water and air tight bulkhead separating cabin/head area Mercury fuel filters Automatic fire suppression heat activated system with alarm monitor at helm station for fuel tank area

Water And Bilge System

Fresh water tank (28 gal. / 110 L.) Automatic 12-volt fresh water pump Water heater (1 x 4 gal. / 15 L.) - only operable from shore power and/or optional generator Transom pull out shower mixer Faucet - wet bar Pullout sprayer in head 4 x Automatic 12-volt bilge pumps

Grey Water System

Automatic grey water pump connected to shower drain for direct overboard discharge

Black Water System

One (1) air tight black water tank located forward of head compartment bulkhead (21 gal. / 80 L.) Deck evacuation or electric direct overboard pump separately controlled

